



Healthcare Furniture

Beds, Trolleys, Tables, Lockers and SS/MS Accessories



Index

Bed

Motorized Range

Page 8 — 23

Chrysalis Nova Activ Bed 1	0
Chrysalis Nova Plus Bed 1	2
Chrysalis Nova Bed 1	4
Chrysalis TWCL Bed 1	6
Chrysalis SWDL Bed 1	8
Acura Prime Plus E.P 5F Bed 2 with PP Sideboards	20
Acura Prime XP 5F Bed 2 with PP Sideboards	22
Acura Prime XP 5F Bed 2 with Aluminum Sideboards	24
Acura Vital 2F Bed 2 with PP Sideboards	26
Grace 2F Homecare Bed 2	28

Semi-Motorized Range

Page 30 — 33

Acura Standard 3F Bed 30 with Sideboards Acura Lite 3F Bed 32 with MS Side rail

goom interio

	Manual ICU Range
	Page 34 — 37
. 10 . 12	Acura Standard 5F Bed
. 14	with Sideboards
. 16 . 18 . 20	Acura Lite 5F Bed38 with MS Side rails
. 22	Manual Range
. 24	Page 40 — 50
. 26	Acura Vital 2F Bed 40 with PP Sideboards
. 28	Ayush Plus Lite Fowler Bed 42 PP
e	Ayush Plus Lite Fowler Bed 43 SSPLT
	Ayush Lite Fowler Bed 44 MS
. 30	Ayush Plus Lite Semi Fowler Bed 45 PP
. 32	Ayush Plus Lite Semi Fowler Bed 46 SSPLT
	Ayush Lite Semi Fowler 47 MS
	Ayush Plus Lite Sheet 48 SSPLT
	Ayush Lite Sheet 49 MS
	Ayush Lite Attendant bed 50 MS

Healthcare / Index

2

Goom interio

Couch

NA .	•	D
MOTO	rized	Range

Page 51 — 54

Manual Range

Page 55 — 56

Revive Full Storage Couch 55
Examination Table on RTC 56
Examination Table on RTC - Gync 56

Infant Crib & Trolley

Page 57 – 59

Pediatric Bed	58
Crib on Trolley	59
Crib on Bed	59

Birthing Bed

Page 60 – 63

Solace LDRP Bed 6	0
Solace Lite LDRP Bed 6	2

Locker

Page 65 — 68

Aptis Locker 2 drawer 1 c	60 abinet
Aptis Locker 1 drawer 1 c	67 abinet
Aptis Locker 1 cabinet	67
Delux Locker	68
Simple Locker	68

Over Bed Table

Page 69 – 71

Adeo OBT on Gas Lift Split Type 69	9
Aptis OBT on Gas Lift	D
Aptis OBT on Crank	0
Ayush Fixed HT OBT 72	1

Patient Mobility

Page 72 — 74

Stretcher on Trolley	72
Rapid NEO ERT	73
Wheelchair Cushion	74

Agilo Medical Trolley

Page 75 — 77

Agilo Medicine C	art	75
Agilo Emergency	Crash Cart	76
SS Crash Cart		77

SS Trolleys & Carts

Page 78 — 81

Instrument Trolley BB 79
Instrument Trolley 79
Medicine Trolley 80
Mayo Trolley 80
Instrument Cabinet 81
Oxygen Cylinder Trolley 81

SS & MS Accessories

Page 82 — 88		
Kick Bucket		82
Basin Stand		82
Single Step stool		83
Double Step stor	ol	83
Square Stool		84
Round Stool		84
3 fold screen		85
Soil linen trolley		85
Lite IV pole		86
Infusion Pole		86
3 bar MS Saline s	stand	86
3 bar SS Saline s	tand	86
SS and MS Side r	ails	87
Traction Pulley		88
Patient Lifting Pa	ole	88

Mattress

Page 89 — 92

Chrysalis Mattress	90
Acura Mattress	91
4 Section Mattress	92
2 Section Mattress	92
Single Section Mattress	93
Attendant bed Mattress	93
Crib Mattress	94
Pediatric bed mattress	94
Examination Table Mattress	95
Rapid ERT Mattress	95
Solace Mattress	96

for interio

Recommended Products

Page 97 — 106 Medical Heads / - Impress - Maestro - Astro & Marvel Training Room 99 – Enlighten – Unlearn – Flip NXT - Scintilla with Desklet .. 100 Lab – Fusion Nucleus – Aeolus Record Room 101 – Optimizer Plus – Personal Locker Unit – Gain Library 102 – Book Rack - Glass Door Storwel – Storwel Plain Meeting Room 102 - Conclave Admin and Nursing Station 103 – Wish - VSDU – LFC - Mobile Caddy – VFC Cafeteria – Cantina – Flip NXT – Time Out – Unwind OPDS 105 - Enterprise – Work - Motion Waiting Area – Matrix – Unwind on Beam – Greet

Godrej Interio Healthcare / Introduction

4

Goom interio

Better Healthcare For Everyone



Godrej Interio Healthcare creates environments that support the healing process. By aligning efficiency with empathy, our healing environments maximise the wellbeing of all stakeholders involved: Patients, Caregivers, and Doctors.

We believe that a good healing environment focuses on the patients and their relatives, while simultaneously helping caregivers become more efficient and doctors more comfortable. Our design philosophy adopts a human-centric approach to increase the harmony between spaces and products, resulting in an improved patient-doctor interaction.

Additionally, we bring our expertise in OCE space design to create people-centric spaces such as canteens, lounges, waiting areas, meeting and video conferencing rooms, and storage solutions. We can design and deliver a complete healthcare space as per your budget, and furnish the same. Our Healthcare furniture products are ISO 13485 certified, USFDA registered, and rated for CE certification from the European notifying body.

Space is our playground. And it's our endeavour to make life the winner.

Studies that Inform our Designs

Space design is the study of the workflow between various stakeholders.

Our recent study revealed that Caregivers, the vital stakeholders in the healing process, walk 8-10 kms in an 8-hour shift due to incorrectly designed spaces.

Here are some of the other insights from our research:

- More than 90% of the nursing staff complained of some form of MSD (musculoskeletal disorder)
- The most prevalent pain areas were the legs (56%), followed by the knees (51%)
- 51% complained of upper and lower back issues
- 61% also experienced neck pain sometimes
- 41% of the nursing staff took 1–3 days leave, whereas 7% of them had taken a leave for 4–6 days within a span of two months to manage their pain. This indicates a clear productivity loss to the organisation.





Challenges that Motivate our Goals

Everyday, Caregivers strive hard to provide superior healthcare services to their people. It's their zeal that motivates us to create better and safer healing environments for everyone. We learn from their challenges and design products and develop spaces to create an intuitive, dynamic, and ergonomic healing environment.

Thus, our goal is to become the ultimate facilitators for care, and the support system that patients, family members, caregivers, and doctors can rely upon.

Designed For All Medical Needs. General, Multiple, or Specialised.

Our design team doesn't limit itself to improving established solutions. Our products cater to key customer needs across a variety of healthcare environments, while also being equipped to simultaneously serve multiple other use-cases as well.



Here are the parametres that govern Godrej Interio Healthcare products:

Goom interio

Global Safety Standards

All our products adhere to the most stringent global standards and quality certifications. We make sure that every product created has:

- No Sharp Edges
- No Electrostatic Charge
- No Cold Shock
- All Entrapment Zones Taken Care Of
- Fall Protection

Uncompromised Comfort

We believe that a safe healing environment is one that's not only comfortable to the patients, but also to their caregivers. That's why our products come with:

- Easy-To-Use Controls/Crank Handles
- Ergonomic Design
- Easy Manoeuvrability
- Compatibility With Associated Products and Surroundings

Assured Hygiene & Easy Maintenance

Godrej Interio Healthcare products are coated with bacteriostatic powder to ensure infection control and better pre-treatment procedures. Their simple construction provides easy access for cleaning and fumigation.

About Us

Godrej Interio (GI) is India's premium furniture brand in both home and institutional segments with a strong commitment to sustainability and centers of excellence in design, manufacturing and retail.

Led by the largest in-house design team in the country in the furniture category and awarded with 34 India Design Mark Awards till date, GI aims to transform spaces with its thoughtfully designed furniture to create brighter homes and offices with products that have the highest design quotient in aesthetics, functionality and technology. With consistent pursuit of excellence and a special focus on health and ergonomics, GI's product portfolio comprises a massive range.



7

Today, we design and manufacture furniture for office spaces, homes, educational institutes, healthcare facilities, laboratories and more. Along with furniture we offer Audio Visual and 360 Degree Turnkey solutions. Each of our product range revolves around comfort and aesthetics while delivering well-designed, fun and functional furniture solutions. Briefly, Godrej Interio transforms dream spaces to life!

Godrej Interio has 8 manufacturing facilities situated at Mumbai, Haridwar, Shirwal, Khalapur and Bhagwanpur. GI's Shirwal Plant is GreenCo Platinum Certified and Mumbai Plants are GreenCo Gold Certified. GI is widely known for its comprehensive sustainability certifications for its products in furniture category.

GI's commitment to the environment has resulted in manufacturing products with lesser environment footprint. Our pioneering efforts include designing less environment burdening products, usage of eco-friendly materials and setting up less polluting and consuming processes, ensuring eco-friendly packaging, and transportation and finally the extended responsibility of recycling/reuse of used furniture and scrap, thus ensuring a lifecycle approach to green. GI has the widest range of green choices for our customers, which not only includes products but also services such as green interiors and recycling.

Currently present in over 650 cities with 300+ exclusive showrooms and 1200 dealers, GI is one of the largest divisions of Godrej and Boyce Mfg. Co. Ltd., part of the Godrej Group, one of India's largest engineering and customer product groups.

Chrysalis Nova Plus Bed

MANULUL MAN

→Pg12

9





form interio

Bed

Page	Motorized
10 — 30	Range

Page	Semi
30 — 33	Motorized
	Range

Page	Manual
34 — 39	ICU Range

Page	Manual
40 — 50	Range

Chrysalis Nova Activ Bed



Colour

Grey

Blue

Specification All sizes in cm



DESIGN REGISTERED

Head/Foot board	Easy removable board made of polypropylene (PP).
Lying Surface	Removable cover made of Acrylonitrile Butadiene Styrene (ABS), easy to clean and maintain.
Safety Sideboards	PP Sideboards have a dropdown mechanism with a control panel.
Control Panel	 Embedded Control Panel – Backrest, Knee Rest, Hi- Low, Trendelenburg, Reverse Trendelenburg, Cardiac Chair Position, Emergency CPR, Lock Button. Digital Control Panel – Backrest, Knee Rest, Hi-Low, Trendelenburg, Reverse Trendelenburg, Lateral Tilt Cardiac Chair Position, Emergency CPR, Lock Button, Weight Measurement Scale, Bed Exit Alarm.
Castors	12.5cm, Twin wheel central locking.
Safe working load	250kg

	Length	Depth	Height
Overall dimension	220.6	101.0	50.0 to 86.0
Platform dimension	190.0	84.0	-


Positions			
		(Mir	1.)
Backrest Adjustable	Leg rest Adjustable	Lowest height position	Max. l positi

Accessories that

comes along with

66deg +/- 5deg 24deg +/- 5deg

the bed





Bed Extender for **Taller Patient**



Dual side CPR Lever



6 embedded **Control Panel**

Optional Accessories



Mattress →Pg91 10cm



Chart Holder

Chrysalis Nova Activ Bed




Trendelenburg 15deg +/- 1deg



Lateral Tilt 17deg +/- 2deg







Bumpers on all corners



Under Bed Light




Patient Restrainer Belt Holder



ACT for Weight Management

Scale Out of Bed


Bed Exit Alarm + Digital Angle & **Height Indicator**



Accessories Rail on

both sides

Ratchet for Achieving DVT



Heavy Duty SS 304 **Infusion Pole**



Bed Extender Mattress




Lite IV Pole →Pg 86



Oxygen Cylinder Trolley →Pg 81



X-Ray Permeable Backrest




Battery Backup

Chrysalis Nova Plus Bed



Colour





Specification

All sizes in cm

		DESIGN	REGISTERED
Features			
Head/Foot board	Easy removable board made of	fpolypropyl	ene (PP).
Lying Surface	Removable cover made of Acry Styrene (ABS), easy to clean an		adiene
Safety Sideboards	PP Sideboards have a dropdow control panel.	n mechanis	m with a
Control Panel	 Embedded Control panel: Bo Low, Trendelenburg, Reverse Chair Position, Emergency C Exit Alarm. Weight Assist Panel for weight 	Trendelenb PR, Lock Bu	urg, Cardiac tton, Bed
Castors	12.5cm, imported castors mode locking.	l, Twin whe	el central
Safe working load	250kg		
	Length	Depth	Height
Overall dimension	220.6	101.0	42.5 to 77.5
Platform dimension	205.0	85.6	-

Positions





Accessories that comes along with the bed

Optional Accessories




Heavy Duty SS 304 Infusion Pole



Accessories Rail on both sides



Weight Assist **Panel for Weight** Management



Mattress →Pg 91 10cm




Chart Holder

Chrysalis Nova Plus Bed



Bed Extender for **Taller Patient**



Dual Side CPR Lever



Trendelenburg 15deg +/- 1deg




Reverse Trendelenburg 15deg +/- 1deg





Linen Holder



Bumpers on all corners

Patient Restrainer Belt Holder



Ratchet for Achieving DVT



Patient Control Handset




4 embedded **Control Panel**






Bed Extender Mattress



Oxygen Cylinder Cage



Battery Backup



Under Bed Light



X-Ray Permeable Backrest



Lite IV Pole → Pg 86

for interio


Healthcare / Motorized Range

Chrysalis Nova Bed



Features


Colour




Head/Foot board	Easy removable board made of polypropylene (PP).
Lying Surface	Removable cover made of Acrylonitrile Butadiene Styrene (ABS), easy to clean and maintain.
Safety Sideboards	PP Sideboards have a dropdown mechanism with a control panel.
Control Panel	Embedded Control Panel – Backrest, Knee Rest, Hi-Low, Trendelenburg, Reverse Trendelenburg, Cardiac Chair Position, Emergency CPR, Lock Button.
Castors	12.5 cm, imported castors model, Twin wheel central locking.
Safe working load	250kg

Specification		Length	Depth	Height
All sizes in cm	Overall dimension	220.6	101.0	42.5 to 77.5
	Platform dimension	205.0	85.6	-

Positions





Accessories that comes along with the bed

Optional

Accessories





Heavy Duty SS 304 Infusion Pole



Accessories Rail on both sides



Ratchet for Achieving DVT





Patient Control Handset

Mattress →Pg 91 10cm





Chart Holder

Chrysalis Nova Bed





Bed Extender for **Taller Patient**



Dual Side CPR Lever



Trendelenburg 15deg +/- 1deg



Reverse Trendelenburg 15deg +/- 1deg



Linen Holder

Bumpers on

all corners


Patient Restrainer Belt Holder




4 embedded **Control Panel**



Bed Extender Mattress



Oxygen Cylinder Cage



Battery Backup



Under Bed Light



X-Ray Permeable Backrest



Lite IV Pole → Pg 86

goom interio

DESIGN REGISTERED

Healthcare / Motorized Range

Chrysalis TWCL Bed



Colour

Grey

Sea Green


Peach


Features

Head/Foot board	Easily removable board made of Polypropylene (PP).
Lying Surface	Removable cover made of Acrylonitrile Butadiene Styrene (ABS), easy to clean and maintain.
Safety sideboards	PP Sideboards with dropdown mechanism covering complete bed length.
Control Panel	Attendant control panel: Backrest, Knee Rest, Hi-low, Trendelenburg, Reverse Trendelenburg, Auto Contour, Cardiac Chair, Emergency CPR, Lock Button.
Castors	12.5cm, imported castors model, Twin Wheel Central Locking.
Safe working load	250kg

Specification All sizes in cm		Length	Depth	Height
	Overall dimension	220.6	101.0	42.5 to 77.5
	Platform dimension	205.0	85.6	-

Positions





Accessories that comes along with the bed

Optional

Accessories





Heavy Duty SS 304 Infusion Pole



Accessories Rail on both sides



Ratchet for Achieving DVT





Patient Control Handset

Mattress →Pg 91 10cm





Chart Holder

Chrysalis TWCL Bed



Bed Extender for **Taller Patient**



Dual Side CPR Lever



Trendelenburg 15deg +/- 1deg



Reverse Trendelenburg 15deg +/- 1deg




Linen Holder

Bumpers on

all corners



Patient Restrainer Belt Holder



Attendant **Control Panel**



Bed Extender Mattress



Oxygen Cylinder Cage




Battery Backup



Under Bed Light



X-Ray Permeable Backrest



Lite IV Pole → Pg 86

for interio

Healthcare / Motorized Range

Chrysalis SWDL Bed



Colour

Grey

Sea Green


Peach

Features

Head/Foot board	Easily removable board made of Polypropylene (PP).
Lying Surface	Removable cover made of Acrylonitrile Butadiene Styrene (ABS), easy to clean and maintain.
Safety sideboards	PP Sideboards with dropdown mechanism covering complete bed length.
Control Panel	Attendant control panel: Backrest, Knee Rest, Hi-low, Trendelenburg, Reverse Trendelenburg, Auto Contour, Cardiac Chair, Emergency CPR, Lock Button.
Castors	12.5cm, imported castors model, Single Wheel Diagonal Locking.
Safe working load	250kg

Specification All sizes in cm		Length	Depth	Height
	Overall dimension	220.6	101.0	45.5 to 81.0
	Platform dimension	205	85.6	-

Positions



• . Lowest height position position 45.5cm 81cm

Accessories that comes along with the bed

Optional Accessories



Heavy Duty SS 304 Infusion Pole



Accessories Rail on both sides



Patient Control Handset




Chart Holder



X-Ray Permeable Backrest

Chrysalis SWDL Bed





Trendelenburg 15deg +/- 1deg



Reverse Trendelenburg 15deg +/- 1deg




Bed Extender for **Taller Patient**



Dual Side CPR Lever




Linen Holder



Bumpers on all corners






Attendant **Control Panel**



Mattress 10cm

→Pg 91




Oxygen Cylinder Cage



Bed Extender Mattress



Under Bed Light



Battery Backup



Lite IV Pole →Pg 86



Customize. Create. Heal.

The Aksh Range of Hospital Beds









AKSH OFFERS MULTIPLE LEVELS OF FUNCTIONALITY

Different spaces in hospitals need different kinds of beds. The Aksh Range offers 3 platforms with unique functionalities.

BED 1

SEMI FOWLER BED

BED 2

Comes with adjustable backrest, supports the patient to sit up. Recommended in later stages of recovery.

BED 3

This is a simple bed, facilitating care in the initial phases of admission, and supports long periods of convalescence.



from interio

FOWLER BED

Comes with adjustable backrest and knee rest, offering comfort to patient and ease of work to the caregiver. Ideal in the early period of recovery.

SHEET BED





CUSTOMISE THE BED TO YOUR NEEDS

Every hospital has its own set of patient and caregiver needs. At Godrej Interio, we understand the nuances of healthcare spaces and constantly strive to provide hospital beds that will meet these special needs. The Aksh Bed seeks to offer the hospitals multiple options to ensure you get the bed that you want. From a choice of platforms to headboard finishes to railings... you get to pick them all.


4 LEVELS OF CUSTOMIZATION

Platform functions Fowler, Semi-fowler, Sheet

Headboard / Footboard Finish Polypropylene (PP), Wooden SSPLT, Mild steel (MS)

1 LYING SURFACE PLATFORMS





2 HEADBOARD / FOOTBOARD





3 SIDE PROTECTION



4 LEG OPTIONS





Goom interio

Siderail Protection

3 bar MS, Aluminum ladder type

Mobility Castors, leg shoes

CUSTOM MAKE YOUR OWN BED

As healthcare facilities expand, hospital beds are one of the most integral elements of this growing medical infrastructure. Given the large volume they are required in, keeping them cost effective is an important aspect of hospital administration. The Aksh Range of hospital beds is an innovative concept where a choice of material, type and design is available with all the three bed platforms. This gives you a lot more to choose from and make the right match of functionality and aesthetics that fits well into your budget. Here's a look at all that you can pick from.

1 Manual operated cranks

Fowler bed comes with 2 manual operated cranks for adjusting the backrest and kneerest. Semi-fowler bed comes with one crank for backrest adjustment. Sheet bed comes as a plain bed and is crank-less.



2 Headboard / Footboard

Available in wood, metal and PP plastic. Wood offers a warm feel, metal allows for hygiene and easy maintenance, and PP blow-moulded plastic gives your space a contemporary feel.

4 Mobility

Legs with castors offer mobility. These are 125 mm in diameter, single-wheel diagonal locking castors – smooth rolling and durable.

In areas where there is no need for moving the beds around, leg shoes offer a neat streamlined appearance.



3 Siderail protection

Options include the horizontal metal bars and ladder metal railings. Both can be lowered for easier patient ingress and egress.



MS 3 bar siderail with pull & turn mechanism

220



Ladder type collapsible siderail integrated with press to unlock and collapse mechanism for the secure operation.

for interio





Here is a look at the various combinations that can be achieved with the many options available. Review this showcase to better understand how the product will finally look. We are sure this display will make it easier for you to decide which bed type you would like for the different zones of your healthcare setup.

36+ SKUS ON OFFER

FOWLER RANGE





SEMI FOWLER RANGE





SHEET RANGE







Gord interio







TECHNICAL SPECIFICATIONS

DETAILS	FOWLER BED	SEMI-FOWLER BED	SHEET B
Applications	Two-functional fixed height hospital bed designed for daily requirements in general ward areas and special rooms of healthcare facilities. It has two functions – backrest and knee rest which can be raised or lowered manually with the help of crank mechanism.	Single functional fixed height hospital bed designed for daily requirements in general ward areas and special rooms of healthcare facilities. Backrest can be raised or lowered manually with the help of crank mechanism.	Aksh shee hospital k patients i
Functions	 Backrest movement: 65° Legrest Movement: 30° 	• Backrest movement: 65°	
Bed dimensions	 (L) 2100 mm x (W) 912 mm x (H) (mattress support platform) 605 mm # Overall Height with Headbaord: 935 mm 	 (L) 2100 mm x (W) 912 mm x (H) (mattress platform) 605 mm # Overall Height with Headbaord: 935 mm 	• (L) 2100 • Overall
Material	 MS ERW tubes with epoxy-powder coated finish 	• MS ERW tubes with epoxy-powder coated finish	• MS ERW
Weight capacity	• Max Patient weight: 120 kg • Safe Working Load (SWL): 155kg	• Max Patient weight: 120 kg • Safe Working Load (SWL): 155 kg	• Max Pat • Safe Wo
Lying surface	• 4-section platform	• 2-section platform	• Single se
Castors	• 125 mm dia, Single-wheel diagonal locking / leg shoes (Optional)	• 125 mm dia, Single-wheel diagonal locking / leg shoes (Optional)	• Leg sho
Additional Features	 Provision to put light IV pole on any of four corners of the bed DVT on ratchet 	• Provision to put lite IV pole on any of four corners of the bed	• Provision four cor
Headbaord type	 PP blow-moulded headbaord with MS powder coated studs SS exo-skeleton with PLT panel MS Tubular Powder Coated Head/Foot Board 	 PP blow-moulded headbaord with MS powder coated studs SS exo-skeleton with PLT panel MS Tubular Powder Coated Head/Foot Board 	PP blowSS exo-sMS Tubu
Standards & Certifications	 IEC 60601-2-52* - General Safety for Medical Beds ISO 13485 - Quality Management System** 	 IEC 60601-2-52* - General Safety for Medical Beds ISO 13485 - Quality Management System** 	• IEC 6060 • ISO 1348
	# Dimensions may slightly vary based on SKU selection * General Tests derived from abo	ave standard ** Applicable for the organization	

Dimensions may slightly vary based on SKU selection * General Tests derived from above standard ** Applicable for the organization

SIDERAILS		
Туре	3-Bar siderail	Ladder Type siderail
Function	MS 3 bar siderail with pull & turn mechanism	Ladder type collapsible siderail integrated with press to unlock and collapse mechanism
Dimensions	(L) 1340 mm x (W) 111 mm x (H) 492 mm	(L) 1496 mm x (W) 79 mm x (H) 400 mm
Safety height	Height over lying surface: 330 mm	Height over lying surface: 325 mm
Material	MS Tubes with epoxy-powder coated finish	Aluminium with powder-coated finish

goom interio

BED

neet bed is a flat lying surface fixed height Il bed designed for relatively lesser critical is in ward facility.

00 mm x (W) 912 mm x (H) 605 mm # all Height: 941 mm

RW tubes with epoxy powder coated finish

Patient weight: 120 kg Working Load (SWL): 155 kg

section platform

hoes / 125 mm dia castors (Optional)

sion to put lite IV pole on any of corners of the bed

ow-moulded headbaord with MS powder coated studs o-skeleton with PLT panel

bular Powder Coated Head/Foot Board

0601–2–52* – General Safety for Medical Beds 3485 – Quality Management System**

nism for the secure operation.




AKSH BED ACCESSORIES




LITE IV POLE

Stainless steel IV pole is designed to be light weight, ergonomic and easy to use at any corner of the bed.



DOCUMENT HOLDER Hassle-free fixture to keep all patient documents within reach.



MATTRESS Patient responsive mattress as accessory is the ideal match for Aksh Bed, facilitating comfort and quick recovery.

Туре

Dimens

Materia

	With ridges on foam to get better adherence to lying surface
nsions	(L) 1940 mm x (W) 835 mm x (H) 100 mm
ial	 PU foam with 40 kg/m3 density Helium heavy upholstery cover with fire retardant and antimicrobial properties





AVAILABLE IN OVER 600 LOCATIONS ACROSS INDIA Put some play into your work by visiting godrejinterio.com

An initiative by Godrej Interio, the first Indian furniture company with **GREENGUARD** certified products

MODULAR FURNITURE • DESKING • SEATING • STORAGE • INTERIORS • LAB • MARINE • HEALTHCARE • HOME

Local Address

National

North: Delhi, Chandigarh, NCR, Lucknow South: Chennai, Bengaluru, Hyderabad, Kochi West: Mumbai, Ahmedabad, Bhopal, Pune East: Kolkata, Bhubaneswar, Guwahati, Patna In keeping with the Godrej policy of continuous development and improvement, the design, dimension and specification may be updated without prior notice or obligations. Form, Colour and Finish of product in this document are representative of design intent and may vary from actual. Colour options depicted in this catalogue are as close to what modern printing processes allow. All dimensions are in 'cm' and are subject to commercial tolerance. Our products are meant for indoor use only.

Godrej & Boyce Mfg. Co. Ltd.

Godrej Interio, Pirojshanagar, Vikhroli (W), Mumbai - 400 079. Toll Free Number: 1800-209-5511 Email: interiooffice@godrej.com Website: www.godrejinterio.com/business







/godrej-interio





/godrejinterio4u


B2BHCAKSHOCT2023

Acura Prime Plus Embedded

Panels 5F Motorized Bed

Acura Prime Plus Embedded Panels 5F Motorized Bed With PP Sideboards

With PP Sideboards Positions Backrest Lea rest Adjustable Adjustable 65deg +/- 5deg 30deg +/- 5deg Accessories that comes along with the bed Features Head/Foot board Easily removable head/foot board made of Polypropylene (PP). PP injection-moulded removable cover which is easy Lying Surface to clean. Safety sideboards PP Sideboards with dropdown mechanism. **Control Panel** 2 Patient Panels – Height, Backrest, Leg Rest, Auto Contour, Cardiac Chair And UBL. 2 Attendant Control Panel - Height, Backrest, Leg Rest, TR/ATR, Auto Contour, UBL, CPR, Lock Function, Power And Battery Indicator, Cardiac Chair And Emergency Head Low Position. **Optional Accessories** Castors 12.5cm, imported castors model, Twin Wheel Diagonal Locking / Twin Wheel Central Locking. Safe working load 200kg Specification Length Depth Height All sizes in cm Overall dimension 224.1 105.0 44.0 to 77.0 Platform dimension 195.0 88.0



Lowest height

position

.


Patient Restrainer Belt Holder




Bumpers on all corners



Mattress →Pg 91 10cm




Battery Backup




Oxygen Cylinder Cage

Orthopedic Traction Pulley →Pg88

Acura Prin Motorized With PP Sideboards			
			PositionsImage: Second systemBackrest Adjustable 65deg +/- 5degAdjustable 30deg +/- 5deg
	6 0	ACURA	Accessories that comes along with the bed
Features	Head/Foot board	Easily removable head/foot board made of Polypropylene (PP).	
	Lying Surface	PP injection-moulded removable cover which is easy to clean.	
	Safety sideboards	PP Sideboards with dropdown mechanism.	
	Control Panel	Attendant control panel: Backrest, Knee Rest, Hi-low, Trendelenburg, Reverse Trendelenburg, Auto Contour, Emergency CPR, Lock Button.	



Specification		Length	Depth	Height
All sizes in cm	Overall dimension	224.1	105.0	44.0 to 77.0
	Platform dimension	195.0	88.0	-



Lowest height

•

position

44cm


(Min.



Bumpers on all

corners

Mattress 10cm




goom interio

Optional Accessories

23

Battery Backup

Acura Prime XP 5F Motorized Bed With PP Sideboards



Cage

Acura Prime XP 5F

goom interio


25


Motorized Bed With Aluminium Sideboards Positions Backrest Adjustable the bed Features Head/Foot board Easily removable head/foot board made of Polypropylene (PP). PP injection-moulded removable cover which is easy Lying Surface to clean. Safety Sideboards Aluminum Sideboards with dropdown mechanism. **Control Panel** Attendant control panel: Backrest, Knee Rest, Hi-low, Trendelenburg, Reverse Trendelenburg, Auto Contour, Emergency CPR, Lock Button. 12.5cm, imported castors model, Twin Wheel Diagonal Castors

Locking.


Safe working load 200kg

Specification All sizes in cm		Length	Depth	Height
	Overall dimension	224.1	105.0	44.0 to 77.0
	Platform dimension	195.0	88.0	-





Accessories that comes along with



Patient Restrainer Belt Holder




Bumpers on all corners

Optional Accessories




Mattress 10cm



Battery Backup

Acura Prime XP 5F Motorized Bed With Aluminium Sideboards






Trendelenburg 13.5deg +/- 1deg Trendelenburg



Reverse 13.5deg +/- 1deg



X-Ray Permeable Backrest






Accessories Rail on both sides

Dual Side CPR Lever



Ratchet for Achieving DVT






Attendant Control Panel / Remote Handset



→Pg 91 Lite IV Pole →Pg 86



Oxygen Cylinder Cage



Heavy Duty SS 304 Infusion Pole

27

Acura Vital 2F Motorized Bed

With PP Sideboards

Features

Specification All sizes in cm



Head/Foot board

Positions

Adjustable


Fixed Height 56.1cm

Accessories that comes along with the bed

Optional Accessories

65deg +/- 5deg 30deg +/- 5deg

Adjustable




Patient Restrainer Belt Holder



Bumpers on all corners



Mattress →Pg§ 10cm



Oxygen Cylinder Cage

	Polypropylene (PP).
Lying Surface	Polypropylene (PP) injection-moulded removable cover which is easy to clean.
Safety sideboards	Polypropylene (PP) Sideboards with dropdown mechanism.
Control Panel	Dedicated buttons to operate Backrest, Knee Rest.
Castors	12.5cm, imported castors model, Twin Wheel Diagonal Locking.
Safe working load	200kg

Easily removable head/foot board made of

	Length	Depth	Height
Overall dimension	224.1	105.0	56.1
Platform dimension	195.0	88.0	-


for interio

Acura Vital 2F Motorized Bed With PP Sideboards





Ratchet for Achieving DVT



X-Ray Permeable Backrest



Heavy Duty SS 304 Infusion Pole

from interio

29

Grace 2F Homecare Motorized Bed

With Side Rails



Head/Foot board

Safety sideboards

Lying Surface

Control Panel

Safe working load

Features

μ.	

Positions

 Backrest
 Knee rest


 Adjustable
 Adjustable

 65deg +/- 5deg
 30deg +/- 5deg


Fixed Height 35cm

Accessories that comes along with the bed

Optional Accessories



Remote Handset



Urine Bag Holder

Mattress →Pg 91 10cm

	Length	Depth	Height
Overall dimension	206.5	109.0	35
Platform dimension	195.0	90.0	-

200kg

Wooden PLT Panels

safety and flexibility.

Environment.

& keeps the area neat. 4. Provision of DVT Position.

accidents.

Rest.

Polypropylene (PP) injection-moulded

1. Aesthetic Wooden Finish for Home

2. Enclosed box design keeps the under structure out of view, to avoid misuse and

5. Entrapment-safe ergonomic design.

3. Remote spiral wire minimizes entanglement

removable cover which is easy to clean.

4 independent telescopic side rails provide


Dedicated buttons to operate Backrest, Knee

F۵	atu	ros
ге	αιυ	res

Specification All sizes in cm

for interio

Grace 2F Homecare Motorized Bed With PP Side Rails



Side Rail



MS Saline Stand with Castors



Oxygen Cylinder Trolley →Pg81 Features

for interio

31

Acura Standard 3F Semi-Motorized Bed With Sideboards


Acura Standard 3F Semi-Motorized Bed

With Sideboards



Head/Foot board


Positions



Lowest height position position 49cm 75cm

Accessories that comes along with the bed

Optional Accessories




Patient Restrainer Belt Holder



Bumpers on all corners



Mattress →Pg9' 10cm




Battery Backup

Ċ

	Polypropylene (PP).		
Lying Surface	Polypropylene (PP) injection-moulded removable cover which is easy to clean.		
Sideboard Options	 Polypropylene (PP) Sideboards with dropdown mechanism Aluminum Sideboards Aluminum Side Rails 		
Control Panel	Dedicated buttons to operate Backrest, Knee Rest, Hi- low, Auto contour.		
TR/ATR	Manual crank operated		
Castors	12.5cm, imported castors model, Twin Wheel Diagonal Locking.		
Safe working load	200kg		

Easily removable head/foot board made of

Specification All sizes in cm		Length	Depth	Height
	Overall dimension	224.1	105.0	49 to 75
	Platform dimension	195.0	88.0	-







Trendelenburg 12deg +/- 2deg




Reverse Trendelenburg 8deg +/- 2deg



Accessories Rail on both sides



Ratchet for Achieving DVT




Dual Side CPR Lever



Remote Handset



→Pg 91 Lite IV Pole →Pg 86




Oxygen Cylinder Cage



Heavy Duty SS 304 Infusion Pole



X-Ray Permeable Backrest




Aluminium Sideboard

goom interio

33

Acura Lite Semi-Mot With MS Side Rail		ed J				Ac	ura
					Positions Image: Strest Adjustable of Sdeg +/- 5deg Content of Strest Adjustable of Sdeg +/- 5deg	position po	lax. heigh osition 5.8cm
	C anclura		U		Accessories that comes along with the bed		
Features	Head/Foot board	Easily removable head/foor Polypropylene (PP).	t board made	of		Patient Restrainer Belt Holder	Acces both s
	Lying Surface	MS Sheet lying surface whic	ch is easy to cl	ean.		()	
	Sideboard Options	MS Side Rail with collapsible	e mechanism.				
	Control Panel	Dedicated buttons to operc low, Auto contour.		nee Rest, Hi-			
	TR/ATR	Manual crank operated				Bumpers on all corners	Ratch Achie
	Castors	12.5cm, imported castors m Locking.	odel, Single W	heel Diagonal			
	Safe working load	200kg			Optional Accessories		
)
						Mattress →Pg91 10cm	Lite IV
Specification			_			~	
All sizes in cm	Quarall dimension	Length	Depth	Height		K A	
	Overall dimension Platform dimension	224.1 195.0	105.0 88.0	49.8 to 75.8			
			00.0			×	
						Battery Backup	Oxyge

Lite 3F Semi-Motorized Bed With MS Side Rail







Trendelenburg 12deg +/- 2deg



Reverse Trendelenburg 8deg +/- 2deg






th sides

cessories Rail on Dual Side CPR Lever



tchet for hieving DVT



ygen Cylinder Cage



Infusion Pole



X-Ray Permeable Backrest

35


Acura Standard 5F Manual Bed Acura Standard 5F Manual Bed With Sideboards With Sideboards Positions (Max.) . Backrest Lowest height Max. height Trendelenburg Knee rest Reverse Adjustable Adjustable position position 12deg +/- 2deg Trendelenburg 65deg +/- 5deg 30deg +/- 5deg 49cm 75cm 8deg +/- 2deg Accessories that comes along with the bed Patient Restrainer Accessories Rail on Features Head/Foot board Easily removable head/foot board made of Belt Holder both sides Polypropylene (PP). Polypropylene (PP) injection-moulded removable cover Lying Surface which is easy to clean. Sideboard Options 1. PP Sideboards with drop down mechanism 2. Aluminum Sideboards 3. Aluminum Side Rails Bumpers on all **Ratchet** for Crank handle provided to operate Backrest, Knee Rest, Manual Crank corners Achieving DVT Operated Hi-low, Trendelenburg, Reverse Trendelenburg. Castors 12.5cm, imported castors model, Twin Wheel Diagonal Locking. **Optional Accessories** Safe working load 200kg Upgradability ✓ Upgrade available. Manual to Motorized (3F) Acura Mattress Oxygen Cylinder Aluminium Sideboard 10cm →Pg91 Cage Specification Depth Height Length All sizes in cm Overall dimension 224.1 105.0 49.0 to 75.0 Platform dimension 195.0 88.0

Lite IV Pole →Pg 86












Infusion Pole



Backrest

Acura Neo 5F Manual Bed






Features

Head/Foot board	Easily removable head/foot board made of Polypropylene (PP).
Lying Surface	MS Sheet lying surface which is easy to clean.
Sideboard	PP Sideboards
Manual Crank Operated	Crank handle provided to operate Backrest, Knee Rest, Hi-low, Trendelenburg, Reverse Trendelenburg.
Castors	12.5cm, imported castors model, Single Wheel Diagonal Locking.
Safe working load	200kg
Upgradability	\checkmark Upgrade available. Manual to Motorized (3F)


		Length	Depth	Height
	Overall dimension	224.1	105.0	49.8 to 75.8
	Platform dimension	195.0	88.0	-

Positions



(Min. Lowest height position position 49.8cm 75.8cm

Accessories that comes along with the bed



Patient Restrainer Belt Holder



Bumpers on all corners

Optional Accessories




Acura Mattress →Pg91 10cm



Lite IV Pole → Pg 86



Acura Neo 5F Manual Bed With Sideboards






Trendelenburg 12deg +/- 2deg




Reverse Trendelenburg 8deg +/- 2deg



Accessories Rail on both sides




Ratchet for Achieving DVT



Oxygen Cylinder Cage



Heavy Duty SS 304 Infusion Pole



X-Ray Permeable Backrest

Acura Lite 5F Manual Bed







Features

Head/Foot board Easily removable head/foot board made of Polypropylene (PP). MS Sheet lying surface which is easy to clean. Lying Surface Sideboard MS Side Rails Manual Crank Crank handle provided to operate Backrest, Knee Rest, Operated Hi-low, Trendelenburg, Reverse Trendelenburg. 12.5cm, imported castors model, Single Wheel Diagonal Castors Locking. Safe working load 200kg Upgradability X Non-upgradable


Specification All sizes in cm		Length	Depth	Height
	Overall dimension	224.1	105.0	49.8 to 75.8
	Platform dimension	195.0	88.0	-







Accessories that comes along with the bed



Patient Restrainer Belt Holder



Bumpers on all corners






Acura Mattress 10cm →Pg91



Lite IV Pole →Pg 86



Acura Lite 5F Manual Bed With MS Side Rails







Trendelenburg 12deg +/- 2deg




Reverse Trendelenburg 8deg +/- 2deg



Accessories Rail on both sides




Ratchet for Achieving DVT



Oxygen Cylinder Cage



Heavy Duty SS 304 Infusion Pole



X-Ray Permeable Backrest

41

Acura Vital 2F Manual Bed

With PP Sideboards




Features

Head/Foot board	Easily removable head/foot board made of Polypropylene (PP).
Lying Surface	Polypropylene (PP) injection-moulded removable cover which is easy to clean.
Sideboard	PP Sideboards with dropdown mechanism.
Manual Crank Operated	Crank handle provided to operate Backrest and Knee Rest.
Castors	12.5cm, imported castors model, Twin Wheel Diagonal Locking.
Safe working load	200kg
Upgradability	\checkmark Upgrade available. Manual to Motorized (2F)

Specification All sizes in cm		Length	Depth	Height
	Overall dimension	224.1	105.0	56.1
	Platform dimension	195.0	88.0	-








Accessories that comes along with the bed

Optional Accessories



Patient Restrainer Belt Holder



Bumpers on all corners



Acura Mattress 10cm →Pg 91



Lite IV Pole →Pg 86

for interio


Acura Vital 2F Manual Bed With PP Sideboards



Accessories Rail on both sides




Ratchet for Achieving DVT



Oxygen Cylinder Cage



Heavy Duty SS 304 Infusion Pole




X-Ray Permeable Backrest

PP Bed



Ayush Plus Lite Fowler

Positions




Accessories that comes along with the bed



Provision for IV Pole on all corners

Accessories Rail on both sides



Extra crank handle

Optional Accessories



→Pg86 Mattress

Side rail covering 2/3rd of side rails



Chart holder

Features

Head/Foot board	Easily removable board made of Polyg (PP).
Lying Surface	MS Mild Steel
Manual Crank Handle	Single removable crank handle is prov 2 lead screws for backrest.
Castors	12.5cm, Single wheel diagonal locking
Safe working load	135kg

Specification All sizes in cm	Length	Depth
Overall dimension	214.0	99.0
Platform dimension	207.5	90.0

Features

Head/Foot board	Easily removable board made of Polypropylene (PP).
Lying Surface	MS Mild Steel
Manual Crank Handle	Single removable crank handle is provided with 2 lead screws for backrest and knee rest function.
Castors	12.5cm, Single wheel diagonal locking.
Safe working load	135kg

Specification All sizes in cm	Length	Depth	Height
Overall dimension	214.5	99.0	56.0
Platform dimension	208.5	90.0	-



7.5cm

Lite IV pole → Pg 83

goon interio

43



Positions





Backrest Adjustable

Knee rest Adjustable 70deg +/- 2deg 24deg +/- 2deg

Accessories that comes along with the bed



Provision for IV Pole on all corners




Accessories Rail on both sides

propylene

Optional Accessories





Side rail covering 2/3rd of side rails



vided with

Height

55.9

Mattress →Pg 91 7.5cm



Lite IV pole →Pg86 Chart holder


goom interio

PP Bed

Ayush Lite Fowler MS Bed









Accessories that comes along with the bed





Provision for IV Pole on all corners

Accessories Rail on both sides




Extra crank handle

Optional Accessories



→Pg 91 Side rail covering





Lite IV pole →Pg 86



Features

Head/Foot board	Easily removable board made of Polyg (PP).
Lying Surface	MS Mild Steel
Manual Crank Handle	Single crank handle is provided with 1 screws for backrest.
Castors	12.5cm, Single wheel diagonal locking
Safe working load	135kg

Specification All sizes in cm Length Depth Overall dimension 214.5 99.0 Platform dimension 207.5 90.0

Features

Head/Foot board	Board made of MS vertical pipes.
Lying Surface	MS Mild Steel
Manual Crank Handle	Single removable crank handle is provided with 2 lead screws for backrest.
Castors	12.5cm, Single wheel diagonal locking.
Safe working load	135kg

Specification All sizes in cm	Length	Depth	Height
Overall dimension	222.1	92.2	61.1
Platform dimension	207.5	90.0	-

Mattress

7.5cm

Chart holder

goom interio

Ayush Plus Lite Semi Fowler



Positions




Backrest Adjustable 70deg +/- 2deg

Accessories that comes along with the bed



Provision for IV Pole on all corners



Accessories Rail on both sides

/propylene

lead


Height

56.0

Optional Accessories









Side rail covering 2/3rd of side rails



MS Bed

Ayush Plus Lite Semi Fowler SSPLT Bed




Positions



Adjustable 70deg +/- 2deg

Accessories that comes along with the bed





goom interio

Provision for IV Pole on all corners


Optional Accessories

Accessories Rail on both sides

Features


Head/Foot board	Easily removable Board made of SS bow with PLT laminate at centre.
Lying Surface	MS Mild Steel
Manual Crank Handle	Single crank handle is provided with 1 lead screws for backrest.
Castors	12.5cm, Single wheel diagonal locking.
Safe working load	135kg

Specification All sizes in cm	Length	Depth	Height
Overall dimension	214.0	91.2	55.9
Platform dimension	207.5	90.0	-



Mattress →Pg 91 7.5cm

Side rail covering



Lite IV pole →Pg 86

Chart holder

Features

Head/Foot board	Board made of MS vertical pipe.
Lying Surface	MS Mild Steel
Manual Crank Handle	Single crank handle is provided with 1 lead screws for backrest.
Castors	12.5cm, Single wheel diagonal locking.
Safe working load	135kg

Specification All sizes in cm	Length	Depth
Overall dimension	222.1	92.2
Platform dimension	207.5	90.0



goom interio

Ayush Lite Semi Fowler






Backrest Adjustable 70deg +/- 2deg

Accessories that comes along with the bed



Provision for IV Pole on all corners



Accessories Rail on both sides

Optional Accessories





→Pg 91 Side rail covering 2/3rd of side rails



Height

61.1

7.5cm

Mattress



SSPLT Bed

from interio


Ayush Lite Sheet MS Bed



Ayush Plus Lite Sheet

Accessories that comes along with the bed






Provision for IV Pole on all corners

Accessories Rail on both sides

Optional Accessories



Mattress → Pg 91 7.5cm







Features

Head/Foot board	Board made of MS vertical pipe.
Lying Surface	MS Mild Steel
Safe working load	135kg

Specification		
All sizes in cm	Length	Depth
Overall dimension	200.3	91.4
Platform dimension	190.0	90.0

Features

Head/Foot board	Stainless Steel(SS) Bow with Laminate at centre, and easily removable boards.
Lying Surface	MS Mild Steel
Safe working load	135kg
Safe working load	135kg

Specification All sizes in cm	Length	Depth	Height
Overall dimension	199.6	91.2	56.4
Platform dimension	198.4	90.0	-



lþc


Chart holder

goom interio

Accessories that comes along with the bed



Provision for IV Pole on all corners



Accessories Rail on both sides

Optional Accessories



Mattress → Pg 91

Ъ

7.5cm



Mosquito Net Pole



Lite IV pole →Pg86 Chart holder

Height 61.4

Gord interio

Healthcare / Index

Ayush Lite Attendant

MS Bed



Features

Head/Foot board	Board made of MS vertical pipe.
Lying Surface	MS Mild Steel
Safe working load	135kg

Optional Accessory



Specification All sizes in cm	Length	Depth	Height
Overall dimension	202.5	76.0	55.0
Platform dimension	194.2	76.0	-

Mattress	→Pg 91
10cm	





goong interio

Couch

Page 52 — 54	Motorized
	Range

Pa	ge	e
55	-	56


Manual Range

goom interio

With Accessories


Repos Procedure Couch

With Accessories



Specification			
All sizes in cm	Length	Depth	Height
Overall dimension	157.4	94.2	60.0 to 85.0

Trendelenburg	







Max. height

(Max.)

Features Access 360° access to patients helps increase interaction and comfort. 360° rotating calf rest is provided with heightadjustable lithotomy rod. Lying Surface The lying surface on the chair is made of Vacuum foam for easy cleaning, along with an SS collection bowl. SS Collection SS collection bowl is provided. Antimicrobial powder coating for bacterial Coating protection. Optional Doctor stool is an optional accessory that can be a snap-fitted on the chair for basic patient check-up. **Control Panel** Pendant control panel: Backrest, Hi-Low. Safe working load 135kg

Specification All sizes in cm	Lenath	Depth	
Overall dimension	157.4	94.2	60

\$

Goom interio

Repos Gynaec Couch







DESIGN REGISTERED

Positions



Backrest Adjustable 65deg +/- 5deg





Lowest height position 60cm

Max. height position 85cm

Optional Accessories



Single Step Stool →Pg83



Head Cushion



Tissue Roll Holder



Doctor's Stool

Height 0.0 to 85.0 54

goom interio

Features

Head Rest

Accessory

Levelers

Repos Physical Examination Table

With Accessories



Positions

Backrest Adjustable 65deg +/- 5deg

Features

Access	360° access to patients helps increase interaction and comfort.
Lying Surface	The lying surface on the chair is made of vaccum foam for easy cleaning.
Storage	Compact Storage available.
Coating	Antimicrobial powder coating for bacterial protection.
Control Panel	Pendant control panel: Backrest, Hi-Low.
Safe Working Load	135kg

Specification All sizes in cm	Length	Depth	Height
Overall dimension	200.2	66.5	81.2

Optional Accessories



Single Step Stool →Pg 83

Tissue Roll Holder









	examination table.
Drawers and Cabinets	Couch has 3 drawers at the top, 3 c the bottom, with an inbuilt sliding st

head side of the couch.

Specification			
All sizes in cm	Length	Depth	
Overall dimension	197.4	56.0	

Head Cushion

Chart holder



goom interio

Revive Full Storage Couch

Head rest assisted on gas lift upto 30°.

Folding blood pressure tray is available at the

Levelers are provided for the base support of

cabinet at step stool.

> Height 80.5

Positions

Backrest Adjustable 65deg +/- 5deg

Examination

Table on RTC

Examination **Table on RTC** — Gynaec



Features

Design	Examination table with sturdy structure made of MS.
Head Rest	Headrest assisted on ratchet upto 30°.
Safe Working Load	135kg
Specification	

All sizes in cm	Length	Depth	Height
Overall dimension	183.0	60.0	85.0

_		
Pos	itio	ns

Optional Accessories





Headrest Adjustable 30deg

Single Step Stool →Pg 83

2 Section Mattress 3cm



goom interio

Features

Design	Examinatio structure m	n table wit ade of MS.	h sturdy
Head Rest	Headrest a upto 30°.	Headrest assisted on ratchet upto 30°.	
Knee Rest	with a cuto	ection is pro out and SS cray is provi	
Calf Rest	360° rotating calf rest is provided with height- adjustable lithotomy rod.		
Safe Working Load	135kg		
Specification			
All sizes in cm	Length	Depth	Height
Overall dimension	206.5	85.0	85.0

Positions **Optional Accessories**



30deg



Single Step Stool →Pg 83 3cm





goom interio

Infant Crib & Trolley

Page 58 - 59

Birthing Bed

Page 60 - 63

Crib on Trolley



Crib on Bed With PP Sideboard







Features

Design	Single section flat bed with grille frame on four sides.
Side Rails	Full length dropdown side rails for protection.
Legs	Legs are fitted with rubber shoes.
Safe working load	100kg

Specification

All sizes in cm	Length	Depth	Height
Overall dimension	157.2	83.9	121.8

Optional Accessories



Pediatric Mattress 7.5cm →Pg 94

58



Features

59

Optional Accessories

Design	Wire mesh frame designed to accommodate the baby and provide visibility and ventilation.		
Castors	12.5cm diagonal locking castors.	Crib Mo 5cm	rttress →Pg94
Safe working load	20kg		
Specification All sizes in cm	Lengt	h Depth	Height
Overall dimen	sion 89.	2 53.6	100.8

Features

Design	Wire mesh frame designed to accommodate the baby and provide visibility and ventilation. Suitable to fit in on foot board end of the bed.
Compatible with	Acura Range & Ayush Plus
Safe working load	20kg





Crib Mattress 5cm →Pg94

Specification			
All sizes in cm	Length	Depth	Height
Overall dimension	90.8	41.6	78.4

goom interio

Solace LDRP Bed




Other Features	✓ Corner bumpers: total 4 Nos, locate
 ✓ Handgrip: 2 Nos (Left +Right) 	all corners ✓ Motorized backres Trendelenburg
✓ Calf Rests: 2 Nos✓ Foot rest at legside:	✓ ATR specially remains a safety

- ✓ Underbed light
- ✓ Manual & Electric CPR 2 Nos, loacated at each side of back rest


Positions

✓ Bowl:



below bowl, for doctors

1 Nos, with 10L capacity



Accessories that comes along with the bed

Optional Accessories

65deg +/- 5deg removable type)



Attendant Handset



Solace LDRP Mattress 10cm





Lite IV Pole →Pg 86

Features	Head/Foot board	Easily removable Head/Foot board made of Polypropylene (PP).
	Lying Surface	3 section lying surface made in compact laminate.
	Design	Backrest – Tilting, Pelvic – Fixed, Leg rest – Sliding.
	Sideboards	PP Sideboards with smooth dropdown mechanism.
	Remote Handset	2 Nos. – 1 Attendant + 1 Patient (optional) Patient – Backrest and Height adjustment provision Attendant – Backrest, TR, Height adjustment, Auto CPR and UBL.
	Castors	12.5cm Twin wheel central locking with two levers on sides.
	Safe working load	250kg
	Patient load	185kg

	Length	Depth	Height
Overall dimension	214.0	101.0	50.0 to 85.0

Solace LDRP Bed












360° Adjustable Calf Hand Grips Rests



→Pg 91 Battery Backup



Heavy Duty SS 304 Infusion Pole



Patient Footrest (Left + Right)



Accessory Rack



Patient Handset

goom interio

Height

50.0 to 85.0

Depth

101.0

Healthcare / Birthing Bed

Solace Lite LDRP Bed



✓ Corner bumpers: **Other Features** total 2 Nos, located at head-side ✓ Handgrip: ✓ Motorized backrest height & 2 Nos (Left +Right) Trendelenburg ✓ Calf Rests: 2 Nos \checkmark ATR specially removed to increase safety ✓ Bowl: 1 Nos, with 10L capacity ✓ Underbed light Positions (Min. Backrest Max. height Knee rest Lowest height (Motorized) (Sliding, Nonposition position 65deg +/- 5deg removable type) 50cm 85cm

Accessories that comes along with the bed

Optional Accessories



Attendant Handset



lb

10cm

Lite IV Pole	→Pa 86
	1900

Features	Head/Foot board	Easily removable Headboard made of Polypropylene (PP). Foot board is not provided.
	Lying Surface	3 section lying surface, Pelvic & Leg rest made in compact laminate, Backrest made in MS Sheet.
	Design	Backrest – Tilting, Pelvic – Fixed, Leg rest – Sliding.
	Sideboards	PP Sideboards with smooth dropdown mechanism.
	Remote Handset	2 Nos. – 1 Attendant + 1 Patient (optional) Patient – Backrest and Height adjustment provision Attendant – Backrest, TR, Height adjustment, Auto CPR and UBL.
	Castors	12.5cm Single Wheel Diagonal Locking .
	Safe working load	250kg
	Patient load	185kg


Length


214.0

Specification	
All sizes in cm	

Overall dimension

Solace Lite LDRP Bed












360° Adjustable Calf Hand Grips Rests



→Pg 91 Battery Backup



Heavy Duty SS 304 Infusion Pole



Patient Footrest (Left + Right)



Accessory Rack



Patient Handset

Healthcare / Index

Rapid NEO ERT

→Pg73



Locker

Page 66 — 68



Over Bed Table

Page 69 — 71

for interio

Patient Mobility

Page 72 — 74

Medical Cart

Page 73 — 74



from interio

Aptis Locker

1 Drawer 1 Cabinet



Aptis Locker



Aptis Locker 2 Drawer 1 Cabinet



Colour



Material	Top made is ABS			
Handle	U-Shaped Metal handle for I	mobility.		
Drawer and Cabinet	Lock facility in drawer and cabinet.			
Castors	5cm diameter castors with front locking.			
Specification All sizes in cm	Length	Depth	Height	
Overall dimension	49.0	41.0	88.1	

Features

Material	Top made is ABS
Handle	U-Shaped Metal handle for mobility.
Drawer and Cabinet	Lock facility in drawer and cabinet.
Castors	5cm diameter castors with front locking.
Specification	

All sizes in cm	Length	Depth	Height
Overall dimension	49.0	41.0	94.7

Material	Top made is ABS			
Handle	U-Shaped Metal handle for mobility.			
Drawer and Cabinet	Lock facility in drawer and cabinet.			
Castors	5cm diameter castors with front locking.			
Specification	Longth Donth Hoight			

All sizes in cm	Length	Depth	Height
Overall dimension	49.0	41.0	94.75

Adeo OBT on Gas Lift Split Type





Delux Locker



Features

Material	SS 304 make top
Drawer and Cabinet	Lock facility in drawer and cabinet.
Castors	5cm diameter castors with front locking.

Specification			
All sizes in cm	Length	Depth	Height
Overall dimension	40.2	42.2	84.0

Simple Locker

1 Cabinet



Features			
Material	SS 304 mal	ke top	
Drawer and Cabinet	Lock facilit cabinet.	y in drawer	r and
Specification			
All sizes in cm	Length	Depth	Height
Overall dimension	40.2	40.4	83.5

for interio

DESIGN REGISTERED

Compact laminate along with tilting top.

Height adjustable on gas lift.

Antimicrobial powder coated.

5cm diameter castors with diagonal locking.

20kg

Height	Depth	Length
79.9 to 109.2	39.5	89.65

Aptis OBT on Gas Lift



Features					
Material	•	Compact laminate along with tilting top.			
Height	Heigh	t adjusta	ble on gas lift.		
Coating	Antimicrobial powder coated.				
Castors	5cm diameter castors with diagonal locking.				
Safe working load at Top	20kg				
Specification All sizes in cm	Length	Depth	Height		
Overall dimension	89.65	39.5	80.75 to 109.74		

for interio

Ayush Fixed Height OBT



71

Aptis OBT on Crank



Features					
Material		Compact laminate along with tilting top.			
Height	Height a	Height adjustable on crank.			
Coating	Antimicr	Antimicrobial powder coated.			
Castors	00 0.0.	5cm diameter castors with diagonal locking.			
Safe working load at Top	20kg	20kg			
Specification	Length	Depth	Height		
Overall dimension	89.9		97.0 to 117.0		
	07.7	50.0			

Features	Material
	Castors
	Safe working load at Top
Specification	
All sizes in cm	Overall dimension

goony interio

DESIGN REGISTERED

MDF with PVC membrane having thickness of 1.8cm.

5cm diameter castors with diagonal locking.

20kg

Length	Depth	Height
105.0	38.0	95.0

Features

Stretcher on Trolley



Design	 MS stretcher on trolley with removable stretcher Contoured stretcher top provides safety to patient handling
Accessory	Provision for providing IV pole on diagonal locking castors.
Castors	20cm diameter castors with diagonal locking.
Safe working load	135kg

Specification		Length	Depth	Height
All sizes in cm	Overall dimension	200.5	66.6	83.0
	Platform dimension	200.5	58.5	

Rapid Neo ERT



DESIGN REGISTERED

Features			
Design	Removable stretcher, made of compact lar tray.		
Accessory	 Height adjustable cage and patient : Utility tray availab Bumpers on all cor 	safety strap ble for storag	is pro
Coating	Antimicrobial powder coating to preve bacterial protection.		
Castors	12.5cm castors model, single wheel dic locking.		
Safe Working Load	140kg		
Optional Feature	 Trendelenburg 15° 8° on gas spring m 		endel
	 Also available in ro ATR function 	apid ERT mo	del w
Specification All sizes in cm	Length	Depth	
Overall dimension	213.9	93.6	70.0
Platform dimension	206.4	63.0	

goom interio

Positions



Backrest Adjustable 70deg +/- 2deg




Trendelenburg 15deg +/- 2deg



Lowest height position 68cm



Reverse Trendelenburg 8deg +/- 2deg




Max. height position 105.5cm

Accessories that comes along with the bed




ERT Mattress 5cm

Lite IV Pole →Pg70



Bumpers on all corners



Oxygen Cylinder Cage

eable, ng x-ray

cylinder rovided

movement

ent

iagonal

elenburg

without TR

Height

.0 to 108.0

Folding WheelChair Cushion



Features	Design	 Chrome-finished foldable wheelchair with cushion type seat and flexible back.
		 Foldable footrest with up, down & swivel type adjustment handling.
		• Leatherite strap is provided at the calf rest section. File holder at the back of the wheelchair.
	Wheels	• Rear mag wheels are 24 inches, made of solid rubber
		Front mag wheels are 8 inches, made of solid rubber
	Safe working load	100kg
Specification		Length Depth Height

60.0

87.0

 Specification
 Length

 All sizes in cm
 Overall dimension
 79.0

Agilo Medicine Cart



Features

Drawer Configuration	6 Small Drawer: 390(L)x600(W)X71(H)r 1 Large Drawer: 390(L)x600(W)X227(H
Castors	125mm Single wheel Front locking cast
Construction	MS CRCA powder coated, with Sheet t of 1.2mm, and ABS Top tray.
Safe working load	47kg

Specification		
All sizes in cm	Length	Depth
Overall dimension	99.6	62.5

for interio

Other Features

- \checkmark Tilt Bins for storage
- \checkmark Bridge Shelf for storage
- 🗸 Key Lock
- $\checkmark\,$ Medicine Bins
- ✓ 4TPE Bumpers
- ✓ Utility Tray
- $\checkmark\,$ Document Holder
- 🗸 Waste Bin
- ✓ Writing pad Drawer
- \checkmark Acrylic Separators
- ✓ Needle dispenser 2 Nos
- ✓ Drawer labels
- ✓ Anti-tilt mechanism
- ✓ Customizable

Optional Accessories



Oxygen Cylinder Cage

mm H)mm

stors.

thickness

Height 155.0

SS Crash Cart

Agilo Emergency Cart



Features

Drawer Configuration	2 Small Drawer: 390(L)x600(W)X71(H)mm 2 Medium Drawer: 390(L)x600(W)X149(H)mm 1 Large Drawer: 390(L)x600(W)X227(H)mm
Castors	125mm Single wheel Front locking castors.
Construction	MS CRCA powder coated, with Sheet thickness of 1.2mm, and ABS Top tray.
Safe working load	55kg

Specification All sizes in cm	Lenath	Depth	Height
Overall dimension	103.7	67.2	143.5
	100.7	07.2	140.0

Other Features

- ✓ Defibrillator tray
- ✓ Oxygen cylinder case
- ✓ CPR Board
- Cam Lock + Security Seal: 100 Nos
- ✓ Wire wounder
- ✓ 4TPE Bumpers
- ✓ Utility Tray
- ✓ Document Holder
- ✓ Waste Bin
- ✓ Writing pad Drawer
- Acrylic Separators
- ✓ Needle dispenser 2 Nos
- ✓ Drawer labels
- \checkmark Catheter holder
- ✓ Anti-tilt mechanism
- ✓ Customizable



Features	Shelves	3
	Oxygen Cylinder Cage	(
	Bins	ć
	Drawer Configuration	٦
	IV Pole	ŀ
	Castors	1
	Safe working load	2

Specification All sizes in cm

Optional Accessories



Spike Guard / Extension Board 77

for interio



3 shelves made of SS 304.

- Oxygen cylinder cage available on 5cm dia. castors.6 coloured bins available above top shelf.
- Two drawer sets of 3 drawers each with central locking Height-adjustable IV Pole available on cart Safe.

12.5cm diagonal locking castors.

30kg

Overall dimension

Length	Depth	Height
104.8	47.5	155.5

goom interio

Instrument Trolley Bowl And Bucket / Dressing Trolley

Instrument Trolley



78



SS Trolleys & Carts

Page 79 — 81

SS & MS Accessories

Page 82 — 88



Features

Shelves	2 shelves made of SS 304 with railing on all four corners.		
Castors	12.5cm dia castors.	gonal lockir	ng
Bowl and Bucket	Bowl and Bucket with spin section (Bucket is provided with lid)		
Safe working load	10kg		
Specification All sizes in cm	Length	Depth	Height

All sizes in cm	Length	Depth	Height	
Overall dimension	115.6	53.1	91.5	

Shelves	2 shelves made of SS 304 with railing on all four corners.
Castors	12.5cm diagonal locking castors.
Safe working load	10kg

Specification All sizes in cm	Length	Depth	Height
Overall dimension	77.5	53.1	91.5

Medicine Trolley



Mayo Trolley

Features	
Shelves	2 shelves made of SS 304 with railing on all four corners.
Castors	12.5cm diagonal locking castors.
Safe working load	10kg

Specification			
All sizes in cm	Length	Depth	Height
Overall dimension	90.2	53.2	91.5



Oxygen Cylinder Trolley



Features	
Tray	Top tray SS 304 with telescopic tube for smooth height adjustability.
Castors	5cm diagonal castors for easy movement.
Safe working load	20kg

Specification			
All sizes in cm	Length	Depth	Height
Overall dimension	50.4	65.0	81.4 to 134.0



Instrument Cabinet

Features

Make	MS make storage with adjustable shelves and door lock.
Window	Transparent acrylic window on the front and sides of the storewell.

Specification	Longth	Donth	Height
All sizes in cm	Length	Depth	Height
Overall dimension	91.6	48.6	198.1

Make	MS make trolley with locking rod mechanism.
Castors	10cm diagonal castors for easy movement.
Usage	Suitable for B type oxygen cylinder.

 Specification All sizes in cm	Lenath	Donth	Height
Overall dimension			111.2

Kick Bucket

82

from interio

Single Step Stool

Features	
----------	--

Design	3 legged single tier basin Removable bowl of SS 202.
Castors	5cm diagonal castors.
Safe working load	10kg

Specification		
All sizes in cm	Base Circle Diameter	Height
Overall dimension	51.7	21.0

Double Step Stool

Basin Stand



4 legged single tier basin Removable bowl of SS 202.
5cm diagonal castors.
20kg

Specification All sizes in cm	Base Circle Diameter	Height
Overall dimension	42.5	85.0



Features

Design	 One step climbing 	o stool to su on couch.	upport
	Step store leveller c	•	ed with
Make	Top is MS w provide go		Matt to
Safe working load	135kg		
Specification All sizes in cm	Length	Depth	Height
Overall dimension	48.5	35.5	21.0

• Design	•	•	
Make	Top is MS w provide goo		Matt to
Safe working load	135kg		
Specification All sizes in cm	Length	Depth	Height
Overall dimension	66.5	48.5	39.3

84

Features

for interio

3 fold Screen



Soil Linen Trolley



Square Stool



Design	Fixed height stool without castors.
Castors	SS square top with MS understructure.
Safe working load	135kg

Specification			
All sizes in cm	Length	Depth	Height
Overall dimension	41.1	41.1	52.2

Round Stool



Design	Height adjustable without castors.
Castors	SS round top with MS understructure.
Safe working load	135kg

Spe	cific	at	ion
A 11	•	•	

Features

All sizes in cm **Base Circle Diameter** Height Overall dimension 53.8 47.0 to 65.5

Design	• Two foldable frames with one fixed frame.
	 Double layer casement fabric is provided for modesty.
Wheel (optional)	5cm wheel available for easy movement.

Specification			
All sizes in cm	Length	Depth	Height
Overall dimension	263.7	64.0	172.0


Design	 MS trolley on 5cm castors for easy movement. Casement fabric provided.
Safe working load	10kg

Specification		
All sizes in cm	PCD	Height
Overall dimension	62.5	95.5

Lite IV Pole

Design

SS and MS Side Rails



130.0 **SS Saline** Stand

PCD

Overall dimension 36.6

Height

100.7 to

Infusion Pole

Completely SS height-

adjustable Infusion

Pole with two hooks.


Features Design 4 hook completely MS make, 4 pronged height-adjustable saline stand. Castors 5cm diagonal castors Safe working 3kg per hook load Specification All sizes Base Height in cm Diameter G Overall 69.5 156.8 to 212.1 dimension

MS Saline

Stand







SS Side Rail

Design

Specification All sizes in cm

Features

Overall dimension

form interio

- This side rail is available in both MS & SS make.
- This side rail covers 2/3rd of the bed length.
- Pull to turn mechanism is used.

Length	Depth	Height
157.0	92.0	53.5

goom interio



Features

88

Design	Pulley has multiple locking position.Lateral shifting of levels.				
Safe working load	40kg				
Specification All sizes in cm	Len	gth	Depth	Height	
Overall dimension	9	98.0	8.0	50.0	

Patient Lifting Pole



Design	Completely MS with height adjustable handgrip.
Safe working load	135kg

Specification	Longth	Danth	Usinht
All sizes in cm	Length	Depth	Height
Overall dimension	133.0	5.0	85.0

goong interio

Mattress


Page 90 — 96

Chrysalis Mattress

goom interio



91



goom interio

PU Foam with density 40 kg/cubic metre

- Single Section Mattress which is water resistant, fire retardant & Antimicrobial painted to prevent bacterial growth.
- Easy to remove and clean.

Rapid & Rapid NEO Emergency Recovery Trolley.





All Acura Range

Leng	th Depth	Height
195	5.0 85.3	5 10.0

goom interio

4 Section Mattress



Features

Foam Details		PU Foam with density 40 kg/ cubic metre			
Design	 4 Section Mattress which is water resistant, fire retardant & antimicrobial painted to prevent bacterial growth. 				
	• Easy to remove and clean.				
Compatibility	All Fowler range of beds.				
Specification All sizes in cm	Length	Depth	Height		
Overall dimension	196.5	83.0	10.0		

Option of 7.5cm Height Mattress is also available

Single Section Mattress



Attendant Bed Mattress



2 Section Mattress

Ayush Plus Lite Semi Fowler Bed →Pg40

Ayush Lite Semi Fowler Bed →Pg41

Features

Foam Details	PU Foam with density 40 kg/ cubic metre
Design	 2 Section Mattress which is water resistant, fire retardant & antimicrobial painted to prevent bacterial growth.
	• Easy to remove and clean.
Compatibility	All Semi Fowler range of beds.

Specification All sizes in cm	Length	Depth	Height
Overall dimension	196.5	83.0	10.0

Option of 7.5cm Height Mattress is also available



Ayush Lite Attendant Bed →Pg42

goon interio

Features

Foam Details	PU Foam with density 40 kg/ cubic metre
Design	• Single Section Mattress which is water resistant, fire retardant & antimicrobial painted to prevent bacterial growth.
	• Easy to remove and clean.
Compatibility	All Sheet Range of Beds.

Specification All sizes in cm	Length	Depth	Height
Overall dimension	190.0	90.0	10.0

Option of 7.5cm Height Mattress is also available

Foam Details	PU Foam with density 40 kg/ cubic metre
Design	 Single Section Mattress which is water resistant, fire retardant & antimicrobial painted to prevent bacterial growth.
	• Easy to remove and clean.
Compatibility	Ayush Attendant Bed.

Specification All sizes in cm	Length	Depth	Height
Overall dimension	188.0	78.0	10.0

goom interio

PU Foam with density 40 kg/

which is water resistant, fire retardant & antimicrobial painted to prevent bacterial

• Easy to remove and clean.

Depth

31.5

Height

5.0

• Single Section Mattress

cubic metre

growth.

Length

61.5

Crib On Trolley and Crib On Bed.

Examination Table Mattress

95

Examination Table on RTC →Pg47

Rapid ERT Mattress



Rapid & Rapid Neo Emergency **Recovery Trolley** →Pg58

Crib Mattress

		Features
		Foam Details
		Design
		Compatibility
	1	
9		Creation
Crib on Trolley Crib on Bed →Pg 49 →Pg 49	Crib on Bed →Pg49	Specification All sizes in cm
		Overall dimension

ress	
Features	
Foam Details	PU Foam with density 40kg/ cubic metre
Design	 Single Section Mattress which is water resistant, fire retardant & antimicrobial painted to prevent bacterial growth.
	• Easy to remove and clean.
Compatibility	Pediatric Bed

Specification All sizes in cm	Length	Depth	Height
Overall dimension	141.5	78.5	7.5

Pediatric Bed Mattress



goon interio

Features

Foam Details	PU Foam w cubic metre	-	40 kg/
Design	retardan	n Mattress v resistant, fi It & antimic to prevent	re robial
	• Easy to r	emove and	l clean.
Compatibility	Examinatio Model	n Table Rat	chet
Specification All sizes in cm	Length	Depth	Height
Overall dimension	183.3	60.0	3.0



Foam Details	PU Foam with density 40kg/ cubic metre
Design	 Single Section Mattress which is water resistant, fire retardant & antimicrobial painted to prevent bacterial growth.
	• Easy to remove and clean.
Compatibility	Rapid & Rapid NEO Emergency Recovery Trolley

Specification All sizes in cm	Length	Depth	Height
Overall dimension	180.3	59.0	5.0

96

Goom interio

Solace Mattress

Features	Foam Details	PU Foam with densit	y 40kg/cubic me	etre
	Design	 Two Separate Ma upper section and water resistant, fi painted to preven Easy to remove an 	l lower leg section re retardant & an t bacterial grow	on. Mattress is ntimicrobial
	Compatibility	Solace LDRP Range		
	LDRP Bed Solace			
Specification		Leng	th Dep	th Height
All sizes in cm	Overall dimension	189	P.5 8'	9.0 15.0

Recommended Products

Page 98	Medical Heads/ Senior Doctor's Room
Page 99	Training Room
Page 100	Lab
Page 101	Record Room

goom interio

F	, a	Ig	Je
1	0	2	

Page 102

Page 103 Library

Meeting Room

Admin and Nursing Station

Page 104

Page 105

Page

106

Cafeteria

OPDS

Waiting Areas 98

goom interio

Training Room

Medical Heads / **Senior Doctor's Room**



Impress



99











Aero

Marvel

Unlearn

Flip NXT

goom interio



Scintilla with Desklet

Fusion

Lab

100

Record Room



101

Optimizer Plus







Nucleus

Personal Locker Unit

Aeolus



Gain

Library

102

goom interio

Admin and Nursing Station









Book Rack

Glass Door Storewel

Storewel Plain

Wish

Meeting Room







LFC

Mobile Caddy





VSDU





VFC

Cafeteria

104

form interio

OPDS

Cantina

Enterprise







Flip NXT

Time Out

Unwind

Work



goom interio






Motion

106

Waiting Area

Credentials





inning could, Farry 11 doctors Frontisc Ingen (Science (M Reactor References of all (SCIE)	Napala of Long Text Research, Street Text-generic March (Black	
	La transmer	
Reserver Parket Sale All Parket Pro- Rel of Parket Parket All Parket Parket	Allen Laf (2004) 1010 Anno 16 (20) 1020 Anno 16 (20)	
Certificate		

<text><section-header><section-header><section-header><section-header><section-header><section-header><section-header><text><text><text><text><text><text><text><text><text><text><text>

ISO 13485 Certificate

108

Healthcare Experience Centre

Visit our Healthcare Experience Centre to experience the latest healthcare products from our range, firsthand - from patient care, to medical screening to office & leisure furniture.

Products Available: ICU Beds, Examination Beds, Gynaec Examination Couch, Recovery Bed, Emergency Trolley, Nursing Station, Office Furniture and more.















goom interio

Index

Motorized

Range

Page 10 — 30

Bed

110

10

goom interio

Healthcare / Index

Index

Manual ICU Range Page 34 — 39

Manual Range

Page 40 — 50



Acura Standard 5F Manual Bed with Sideboards

111



Acura Vital 2F Manual 40 Bed with PP Sideboards



Ayush Lite Fowler MS Bed





Ayush Lite Semi Fowler 47 MS Bed



Ayush Lite Attendant Bed 50



Chrysalis Nova

Activ Bed

Semi Motorized Range

Page 30 — 33



Acura Standard 3F 30 Semi-Motorized Bed with Sideboards



Acura Lite 3F 32 Semi-Motorized Bed With MS Side rail

Acura Prime Plus 18 **Embedded Panels 5F** Motorized Bed with PP Sideboards

12



26



Chrysalis Nova Plus

Bed

24

Chrysalis Nova Bed

with PP Sideboards





Acura Vital 2F Bed

20

14







44





34

goom interio



Acura Neo 5F Manual 36 Bed with Sideboards



Ayush Plus Lite 42 Fowler PP Bed



Acura Lite 5F Manual 38 Bed with Sideboards



Ayush Plus Lite Fowler 43 SSPLT Bed



Ayush Plus Lite Semi 45 Fowler PP Bed



Ayush Plus Lite Sheet 48 SSPLT Bed



Ayush Plus Lite Semi 46 Fowler SSPLT Bed



Ayush Lite Sheet MS Bed

49

Index

Couch

Motorized

Page 52 — 54

Couch

Manual

Page 55 — 56

Infant Crib & Trolley

Page 58 — 59

goom interio

Healthcare / Index

Index

Locker Page 66 — 68







1 Drawer 1 Cabinet





Gas Lift Split Type

69



Ayush Fixed Height OBT 71



























2 Drawer 1 Cabinet



66

Delux Locker







Page 69 — 71













56



Page 60 — 62



Revive Full Storage

Couch

Pediatric Bed

Accessories



Repos Gynaec Couch 53 with Accessories



Repos Physical Examination Table with Accessories



Examination Table on RTC — Gynaec



Crib on Bed with PP Sideboard







Examination

Table on RTC



58

55



Solace LDRP Bed Solace Lite LDRP Bed 62 60



56


59





112







Simple Locker 1 Cabinet



67



Aptis Locker 1 Cabinet

67



Aptis OBT on Gas Lift 70

Aptis OBT on Crank 70

Index

Patient

Mobility

Page 72 — 77

114

goom interio

74

77

80

81

Healthcare / Index

Index

SS & MS Accessories Page 82 — 88



Kick Bucket





Double Step Stool 83

85

86



Page 79 — 81



Stretcher on Trolley

Agilo Medicine Cart

72

75

Rapid Neo ERT

Agilo Emergency

Cart

С

Instrument Trolley

Instrument Trolley Bowl 79 and Bucket / Dressing Trolley



Mayo Trolley



80



Instrument Cabinet 81

O

73

76

79



SS Crash Cart

Folding WheelChair

Cushion

Medicine Trolley



Oxygen Cylinder Trolley




Infusion Pole


3 fold Screen





goom interio





Page 100

Fusion

Nucleus

87

117





98

Aetro



98





Flip NXT

99



Aeolus

88

Healthcare / Index			118		goon inte	erio	Healthcare / Index			119
Index							Index			
Record Room Page 101	Optimizer Plus	101	Personal Locker Unit	101	Gain	101	Cafeteria Page 104			
Library Page 102	Book Rack	102	Glass Door Storewel	102	Storewel Plain	102	OPDS Page 105	Cantina Centina Enterprise	104	Flip N
Meeting Room Page 102	Conclave	102					Waiting Area Page 106	Matrix	106	Unwin
Admin & Nursing Station Page 103	Wish	103	VSDU	103	LFC	103				

Mobile Caddy 103 VFC

103

form interio









106



Available in 600 locations in India.

North: Delhi, Chandigarh, NCR, Lucknow South: Chennai, Bengaluru, Hyderabad, Kochi West: Mumbai, Ahmedabad, Bhopal, Pune East: Kolkata, Bhubaneswar, Guwahati, Patna

Godrej & Boyce Mfg. Co. Ltd. Godrej Interio, Pirojshanagar, Vikhroli (W), Mumbai 400 079

Toll Free Number: 1800–209–5511 **Email:** sales@godrejinterio.com **Website:** www.godrejinterio.com

B2BHCDOSSOCT2022

godrejinterio.com/business

/my interio
talk green.
walk green.

An initiative by Godrej Interio, the first Indian furniture company with GREENGUARD certified products.

MODULAR FURNITURE . DESKING . SEATING . STORAGE . INTERIORS . LAB . HEALTHCARE . HOME

Follow us on /godrejinterio





The GREENGUARD Certification Program gives assurance that products designed for use in indoor spaces meet strict chemical emission limits, which create healthier interiors. The certification qualifies for LEED credits and IGBC credits.







TRA Research India's Most Desired Brand 2021 *Furniture category*

TRA Research India's Most Trusted Brand 2022 *Furniture Category*

Franchise India Retail Brand of the Year 2022 Speciality/Furniture Retail Category




Marksmen Daily Most Preferred Brand 2022

In keeping with the Godrej policy of continuous development and improvement, the design, dimension and specification may be updated without prior notice or obligations. Form, Colour and Finish of product in this document are representative of design intent and may vary from actual. Colour options depicted in this catalogue are as close to what modern printing processes allow. All dimensions are in 'cm' and are subject to commercial tolerance. Our products are meant for indoor use only.





A journey towards satisfying maternity experiences





Creating 'Welcome Spaces' for new arrivals

Bringing a new life into this world is a miracle of nature, made a little simpler and safer with the combination of caregiver support and cutting edge delivery beds and equipment.

As awareness around natural childbirth procedures spreads among mothers, there is a growing need for hospitals and doctors to create delivery spaces that support the natural process.

At Godrej Interio, we have been focused on creating healthcare spaces that deliver safe, caring and healing experiences for the patient, family and caregiver. With Solace LDRP Birthing Bed, we look forward to making the journey of delivering a baby comfortable for the mother and efficient for the caregiver.

Solace LDRP Birthing Bed: One stop solution for all birthing procedures

The LDRP journey for the mother is a long one and needs the best of medical care and support. Solace is an ergonomically designed bed that allows the mother to go through all phases of childbirth procedure without having to shift beds.

Solace is an electronically operated single solution for labour, delivery, recovery and postpartum phases. It caters to demands of all stages of the birthing process.

Thoughtfully designed, the bed provides support for the mothers and facilitates efficient functionality for nursing staff.

Its flexibility and ease-of-use offers a practical, cost-effective solution for the modern, progressive labour suite while offering warm and cozy home-like comfort in professionally managed hospital rooms.

A journey made comfortable & safe

a strenuous journey for the mother and her caregivers. Solace is designed to make this journey smoother and more efficient for all involved.







Solace Birthing Bed: Efficient & easy to operate

-



Solace

The Versatile Choice

During childbirth, ensuring the mother is comfortable at all times, and caregivers are able to support her needs efficiently is key for a smooth and safe delivery.

Solace comes with electronically operated backrest, height and TR to enable caregivers to quickly respond to the woman's constantly changing health conditions during the procedure.


Further, the Bed, with its versatile design and patient footrest, calfrest, handgrip, etc is equipped to accommodate a multitude of birthing positions, while ensuring safety and ease of shifting across positions at all times.



Squatting Position



Lithotomy Position





Little Things Matter

When you are supporting your patients through one of their most significant life events, one which they will remember for their entire lives, it is important that you get every detail right.

That is where Godrej Interio with its commitment and absolute attention to detail comes in. Solace offers comfort to the mother, baby and family,

(10)

while its thoughtful and ergonomic design makes it easy and safe for your staff to move around efficiently and deliver the best care that is expected from them.

Here's a look at the details of Solace that make it perfect for delivery spaces.

Designed For Performance



Electronically controlled

backrest, height & TR





Patient footrests

Hand grips

- Electronically controlled backrest, height & TR: This allows the mother in labour to sit up with ease.
- Accessory rail: This rail is ideal for mounting accessories and keeping them handy. Useful for hanging remote handset, urine bag holder, etc.
- 360° adjustable calf supports: The cushioned calf-supports are adjustable, allowing the mother to shift into a comfortable position. The cushioning ensures the calves remain well supported at all times.
- Patient footrests: Firm footrests offer sufficient support to mother when in squatting position.

Accessory rail for hanging remote handset, urine bag holder





360° adjustable calf supports



Sideboards

- Hand grips: A pair of hand grips for the mother to hold onto. This gives her a greater sense of safety and control.
- Sideboards: The sideboards have smooth dropdown mechanism, making the lowering and raising of rails convenient.

During labour and recovery: The siderail provides support and grip for the mother. Siderails move along with the back section during back raise allowing mother to grip on it. The side board design offers safety by preventing potential falls and slips during labour and recovery.

Solace Birthing Bed

Available in 2 variants, Solace and Solace Lite, this birthing bed is designed to meet the LDRP needs across gynaec delivery rooms of all types and sizes.

Sideboard Headboard Mattress Angle Fastening Strap Indicator Calf Support • Sideboard Lever Bumper Footboard Doctor's Patient & Locking Lever Hand Grip Footrest Caregiver Handset Castors Central 125 mm Twin Wheel Castors Locking Mechanism


Solace LDRP	
Lying surface	Backrest, pelvic, legrest in compact laminate.
Castors	125 mm twin wheel central locking castors.
Footboard	Available
Doctor's footrest	Available

Fastening Strap Calf Support • Diagonal Locking Castors

Solace Lite LDRP	
Lying surface	Backrest in MS
Castors	125 mm single
Footboard	Not Available
Doctor's footrest	Not Available

Solace Lite Birthing Bed





1S Sheet; pelvic and leg rest in compact laminate. e wheel diagonal locking castors.

Enhances Caregiver Productivity



Doctor's footrest









125 mm locking castors



Patient & caregiver handset

To help caregiver teams perform at their best, Solace has been designed with electronically adjustable features, doctor's footrest, easy remote operations and superior castor maneuverability.

- Doctor's footrest: Offers sturdy support for doctor and/or caregiver during procedure.
- Manual & electronic CPR: Two Manual CPR levers are provided on either side of the bed, for emergencies and in case of power shutdown. There is also electronic CPR button available on the remote handset for ease of use.
- 125 mm Locking castors: Twin wheel central locking available in standard variant; single wheel diagonal locking available in Lite variant.
- Sliding/retractable leg rests: The sliding feature allows for quick conversion from normal bed to delivery bed. Further, the retractable leg rests get locked when in extended position for safety.

The design of the legrest also keeps the caregivers safe and minimises any chances of

14

aberration that may be caused while handling the legrest.

- Retractable legrest lever: Easy to use lever makes retracting the legrest simple and easy.
- Patient & caregiver handset: Dedicated handset remotes are provided for mother and caregiver. This allows caregivers to easily make adjustments during delivery and labour. It also provides mother easy access and greater control on her position in the recovery and postpartum phase.

Patient remote (optional): Allows adjustment of backrest, height.

Caregiver remote: Allows adjustment of backrest, height, Trendelenburg (Head low), electronic CPR, underbed light.

Facilitates Healthy Spaces



Compact laminate lying surface

Hygiene is a key concern around new borns and mothers recovering from labour and delivery. Solace, with anti-microbial materials, is designed for easy cleaning and minimizing infections.

- Compact laminate lying surface: Aids in easy cleaning of the surface.
- ABS fluid bowl: With 10 litre capacity, ABS fluid bowl facilitates easy collection of birth fluids, ensuring high standards of hygiene.
- PP injection moulded headboard, legboard & sideboards: With anti-microbial properties, these surfaces keep your birthing zone hygienic and germ-free.
- Accessory rack: To hold leg section mattress, footboard, footrests, calf supports & hand grips




ABS fluid bowl



PP injection moulded headboard & sideboards




Made Smart To Keep Patients Safe



Synchronous TR-height movement

This smart feature has been designed with specially developed software and hall sensing actuators. This feature ensures that after Trendelenburg, when bed is brought back to horizontal position, height of the bed remains the same as it was before Trendelenburg.




ease of operation.


Restricted ATR movement

To keep the expectant mothers safe, a special software has been developed to disable the potentially dangerous ATR function in the bed.

This feature was developed as a result of our extensive field research and interactions with numerous doctors. The research revealed the dangers of tilting the delivery bed in ATR, occurrence of serious patient accidents in the absence of leg support, raised backrest, and during instances when the bed is elevated to higher height. Trendelenburg feature with angle of up to 15° is allowed in the bed to facilitate clinical procedures.




Accessories




Solace mattress

Patient responsive mattress as accessory is the ideal match for Solace, facilitating comfort and quick recovery.




Accessory rack

A mobile rack to hold leg section mattress, footboard, footrests, calf supports & hand grips when not in use



Patient handset

This freely accessible Remote Control Accessory gives the patient better control over her bed positions and comfort.




Patient footrests

Firm footrests offer sufficient support to mother in different birthing positions



IV pole

Stainless steel IV pole is designed to be light weight, ergonomic and easy to use at any corner of the bed.



Battery backup

When unplugged from power source, all bed functions can be used with battery back up. This makes it easy to shift bed across wards and floors.

Product Specifications

		Solace	Solace Lite
Functions	Backrest	Motorized 66° (+/-5°)	Motorized 66° (+/-5°)
	Legrest	Sliding / Retractable	Sliding / Retractable
	Trendelenburg	Motorized 15° (+/-1°)	Motorized 15° (+/-1°)
	Reverse-Trendelenburg	N.A.	N.A.
	Height Adjustment	Motorized 500 mm – 840 mm +/-10 mm (without mattress)	Motorized 500 mm – 840 mm + /-10 mm(without mattress)
Dimensions	Width – Overall	1024 mm	1024 mm
	Length – Overall	2140mm	2115 mm
	Width - Mattress	890 mm	890 mm
	Length – Mattress	1895 mm	1895 mm
Load	Patient load	185 kg	185 kg
Capacity	Safe working load	250 kg	250 kg
Essential	Handgrip	Yes – 2 Nos (L+R)	Yes – 2 Nos (L+R)
Elements	Calf Rests	Yes – 2 Nos	Yes – 2 Nos
	Headboard	Yes (removable)	Yes (removable)
	Footboard	Yes (removable)	No
	Doctor's Footrest at legside (below bowl)	Yes	No
	Bowl	1 Nos. with 10 L capacity	1 Nos. with 10 L capacity
	Corner bumpers	4 Nos. located at all corners	2 Nos. located at headside
	Manual CPR	2 Nos. located at each side of backrest	2 Nos. located at each side of backrest
	Lite IV pole provision	4 Nos. located at 4 corners	2 Nos. located at headside
	Heavy duty IV pole provision	4 Nos. located at 4 corners	4 Nos. located at 4 corners
	Base frame cover and corner bumpers	4 Nos. independently placed at 4 castor corners	No covers
Lying Surface		3 section lying surface made in compact laminate	3 section lying surface – legrest and pelvic made in compact laminate backrest made in MS Sheet
Electronics	Caregiver Handset	Yes Backrest, height, Trendelenburg, single button CPR and underbed light	Yes Backrest, height, Trendelenburg, single button CPR and underbed light
	Patient Handset	Optional backrest and height	Optional backrest and height
	Battery backup	Optional	Optional
Castors		125 mm Twin wheel central locking	125 mm single wheel diagonal locking

Electrical Specifications

1	Supply voltage: 100 – 240VAC, ±10 %, (
2	Electric shock protection class I, Type
3	Liquid ingress protection IPx4
4	Battery 1.2 Ah, 2×12V series connected
5	Duty cycle 10% or max 2 min continuou

World Class Standards & Certifications

IEC 60601-1: Medical Electrical Equipment: General requirements for safety and essential performance.

IEC 60601-2-52*: Medical Electrical Equipment: Particular requirements for safety and essential performance of medical beds.

IEC 60601-1-2: Electromagnetic compatibility. (Requirements & Tests)

ISO 13485: Standard for Quality Management Systems (QMS) for the design and manufacture of medical devices.

ISO 14971 Medical Devices: Application of risk management to medical devices.

CE certification

USFDA certification

Current: 2.5 A Max

В

sealed lead acid rechargeable

ous ON followed by 18 min continuous OFF



AVAILABLE IN OVER 600 LOCATIONS ACROSS INDIA Put some play into your work by visiting godrejinterio.com An initiative by Godrej Interio, the first Indian furniture company with **GREENGUARD** certified products

MODULAR FURNITURE • DESKING • SEATING • STORAGE • INTERIORS • LAB • MARINE • HEALTHCARE • HOME

Local Address

National

North: Delhi, Chandigarh, NCR, Lucknow South: Chennai, Bengaluru, Hyderabad, Kochi West: Mumbai, Ahmedabad, Bhopal, Pune East: Kolkata, Bhubaneswar, Guwahati, Patna In keeping with the Godrej policy of continuous development and improvement, the design, dimension and specification may be updated without prior notice or obligations. Form, Colour and Finish of product in this document are representative of design intent and may vary from actual. Colour options depicted in this catalogue are as close to what modern printing processes allow. All dimensions are in 'cm' and are subject to commercial tolerance. Our products are meant for indoor use only.

Godrej & Boyce Mfg. Co. Ltd.

Godrej Interio, Pirojshanagar, Vikhroli (W), Mumbai – 400 079. Toll Free Number: 1800–267–1122. Fax: +91–22–6796 1503 Email: interiohospital@godrej.com Website: www.godrejinterio.com

Follow us on





